MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. \_\_\_\_\_\_ PRODUCT NUMBER: 603 IDENTITY: RUTHLESS LIQUID Revision Date: 01/12/2007 \_\_\_\_\_\_ Section I Manufacturer's Name: OUEST CHEMICAL CORPORATION Telephone Numbers: 12255 FM 529 Emergency: NORTHWOODS INDUSTRIAL PARK 800/255-3924 HOUSTON Information: State: TX Zip Code:77041 713/8968188 \_\_\_\_\_\_ HMIS CODES: REACTIVITY: 0 FLAMMABILITY: 2 HEALTH: 3 PERSONAL PROTECT: X Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.) \_\_\_\_\_\_ Name Cas No. OSHA PEL ACGIH TLV OTHER LIM % \* 67-56-1 200 PPM 250 PPM N/A METHYL ALCOHOL METHYLENE CHLORIDE \*+ 75-09-2 25 PPM 25 PPM N/A

## Comment:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN \* SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

THIS PRODUCT CONTAINS CHEMICAL(S) MARKED WITH A + KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

## Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 104F Specific Gravity (water=1) 1.20
Vapor Pressure(mm Hg) N/A Melting Point: N/A
Vapor Density(AIR=1) 2 Evaporation Rate: <1
Solubility in Water: EMULS (Butyl Acetate=1)
Appearance and Odor: VISCOUS, HAZY LIQUID, STRONG CHLORINATED SOLVENT ODOR

## Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used):NONE Flammable Limits: LEL:N/A UEL: N/A Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUSHER

Special Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: MAY DEVELOP A FLAMMABLE ATMOSPHERE IN CONFINED AREAS.

PRODUCT NUMBER: 603 \_\_\_\_\_\_

Stability: Unstable: Conditions to avoid: HOT SURFACES,
Stable: X EXPOSURE TO TEMPERATURES ABOVE 100 F

Incompatability (Materials to Avoid): PLASTICS

Hazardous Decomposition or Byproducts: EXPOSURE TO RED HOT SURFACES MAY

PRODUCE PHOSGENE, CARBON MONOXIDE AND HYDROGEN CHLORIDE GASES.

Hazardous Polymerization: May Occur: Will Not Occur: X

Conditions to Avoid: NONE KNOWN

Section VI: HEALTH HAZARD DATA

\_\_\_\_\_\_

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Health Hazards (Acute and Chronic):

WILL CAUSE ACUTE BURNS TO SKIN, EYES, MUCOUS MEMBRANES. PROLONGED BREATHING COULD CAUSE UNCONSCIOUSNESS, DIZZINESS, HEADACHE, NAUSEA.

Carcinogenicity: NTP:YES IARC Monographs:Yes OSHA Reg:YES

Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER AND CONTACT PHYSICIAN. INHALATION: REMOVE TO FRESH AIR AND CONTACT PHYSICIAN. INGESTION: CONSULT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

\_\_\_\_\_\_

Steps to be Taken in Case Material is Released or Spilled: CONTAIN SPILL. PRODUCT WILL UNDERGO RAPID EVAPORATION. RESIDUE SHOULD BE COVERED WITH AN ABSORBENT CLAY MATERIAL AND PLACED IN DRUMS FOR DISPOSAL.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES. OFFER DRUMS FOR RECYCLING. DO NOT REUSE EMPTY CON-TAINER. SMALLER CONTAINERS SHOULD BE RINSED AND PLACED IN TRASH COLLECTION.

Precautions to be Taken in Handling and Storing: STORE IN A COOL, DRY AREA. KEEP AWAY FROM HEAT AND OPEN FLAMES. KEEP CONTAINERS TIGHTLY SEALED.

Other Precautions: VAPOR MAY COLLECT IN LOW LYING AREAS.

Section VIII: CONTROL MEASURES

Respiratory Protection: USE IN WELL VENTILATED AREA

Ventilation: Local Exhaust:ADEQUATE

Mechanical: N/A Special: N/A

Other: N/A

Protective Gloves: NEOPRENE

Eye Protection: SAFETY GOGGLES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.

Other Protective Clothing or Equipment:

LONG SLEEVE CLOTHING- TO COVER SKIN

Work/Hygienic Practices:

WASH HANDS AFTER USE