| - | | | |
|-------------------|--|---------------------|----------------|
| ールリエクく | MSDS No.: 007 | Revision No.: 2 | Date: 12/02/04 |
| SAFETY DATA STEFF | A THE TAXABLE AND A THE TAXABL | \$ | |
| MATERIALS | A consider Conditional Construction (Construction Construction Cons | Firet Aid Burn Crea | |
| | | Liret A | |

| 13CA | Not Listed | |
|--|-------------------|--|
| AND THE PROPERTY OF THE PROPER | STATE REGULATIONS | - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 |
| MA Substance List | Not Listed | |
| NJ RTK Hazardous Substance List | Not Listed | а _{вин} носодджувала в континенто однатителен устан ав вознатого однативного однатителен и се и и се в в в в тем однатителен и се и се однатителен и се однатителе |
| PA Hazardous Substance List | Not Listed | # WASHINGTON TO THE TOTAL TO TH |
| Canadian WHMIS | Not Listed | enalisies papaga, j j. 20.000 et el este persona este para este este este persona este este este este este e |

| | Revision Date | 04/28/05 |
|--------------------------------|-----------------|----------|
| OTHER INFORMATION - SECTION 16 | Revision Number | 2 |

determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only To the best of our knowledge, the information contained herein is accurate. However, neither Water-Jel Technologies, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final hazards that exist.



| | MSDS No.: | 007 |
|----------------------|---------------|----------|
| First Aid Burn Cream | Revision No.: | |
| | | 12/02/04 |

| Proper Shipping Name: | | * | |
|--|---|------------------------|-----|
| Packing Group: | | (F) | |
| Marine Pollutant: | Not regulated for Domestic Transport. | | 0 8 |
| Other Information: | et and a second | | |
| egy projection and a general state of the first first (shido) for many eyes and a per A and A a feet state and assume state of the first terms. | IATA CLASSIFICATION: | | |
| UN Number: | | | |
| Class: | Section 1 | | |
| Proper Shipping Name: | Not regulated for International Air Trai | penori | |
| Packing Group: | Two regulated for international Air Trail | iopuit. | No. |
| Marine Pollutant: | | at e | |
| Other Information: | | | [9 |
| Control of the Contro | IMDG CLASSIFICATION: | | |
| UN Number: | | 2. | : |
| Class: | | | |
| Proper Shipping Name: | Not regulated for International Water | Trancoort Trancoort | |
| Packing Group: | Nucregulated for international vvaler | i i ai i spoi i. | |
| Marine Pollutant: | 10 | 1 J | |
| Other Information: | | | |

| REGULA | TORY IN | FORM | ATK | ON-SECTION 15 | |
|-----------|---------|--|------|------------------------------|---------|
| | | | | US REGULATIONS | |
| | 81 | | | TWA (Glycerin Mist): | |
| di. | | | 7 T. | Total Dust: 15 mg/m3 | 3 |
| ACGIH | er e | 0.▼0 | | Respirable Fraction: 5 mg/m3 | |
| | 7 | | | TWA(Stearates): | |
| | Y. | | Š, | 10 mg/m3 | |
| CAA Sect | ion 112 | | | Not Listed | |
| CERCLA | • - 1 | | | Not Listed | |
| IARC | 1 1 | | | Not Listed | 491040 |
| NTP | | | | Not Listed | |
| · · | ÷ | : | | OSHA PEL (Glycerin Mist): | |
| OSHA | ** | (4) | \$ | Total Dust: 10 mg/m3 | |
| • * | F.S. | | 3.5 | Respirable Fraction: 5 mg/m3 | |
| SÁRA Titi | e ill | errenen errene Errenen errenen errene | | Not Listed , | 1004040 |



| para karang ng gang nagana karang naganang naganang naganan nagan nagan nagan nagan nagan nagan nagan nagan na | Andreas de la constitución de la | MSDS No. | |
|--|--|---------------|----------|
| First Aid Burn Cream | | Revision No.: | |
| | | Date: | 12/02/04 |

| | CONTRACTOR | CONTRACTOR OF SHELL OF SHELL OF SHELL OF THE | A THE RESERVE THE PROPERTY OF | |
|---------------------------|---|--|---|--|
| Hazardous Polymerization: | | | V. | |
| | | 1 | | |
| Will not occur. | | e de la companya de l | | |
| VYIII HUL UCCUL | ************************************** | | *************************************** | |

| Type of Test | of Test Route of Effects | | Species Observed | Dose Data | |
|---|--------------------------|-------|---------------------|-------------|--|
| LD ₅₀ - (Cetyl Alcohol) | Oral | Death | Rodent - Rat | 5 gm/kg | |
| LD _{so} - (Glycerin) | Oral | Death | Rodent - Rat | 12600 mg/kg | |
| LD ₅₀ - (Glyceryl Stearate) | Intraperitoneal | Death | Rodent - Mouse | 200 mg/kg | |
| LD ₅₀ - (Mineral Oil) | Oral | Death | Rodent - Mouse | 22 gm/kg | |
| LD ₅₀ - (Stearic acid) | Intravenous | Death | Rodent - Rat | 21500 ug/kg | |

| Ecotoxicity: | • | 9 | 7 | |
|--------------------------------|--|--|---|----------------|
| | | | 14, | |
| No information available. | | | | |
| Mobility: | | <u> </u> | | |
| ¥ ¥7 . | 33 | | · ** | |
| No information available. | 65 | , | v v ² . | |
| Persistence and Degradability: | herbore have managed and a few factors of the few f | and the second s | | · CO-ACCIONALO |
| | i, | d ^a | 3900 J | |
| No information available. | | | | |
| Bioaccumulative Potential: | | eranicario e e e e e e e e e e e e e e e e e e e | nace of the state | · Yorkinson |
| | A 10 TO | <i>i</i> , • | | |
| No information available. | 18 | : 1 | | |

| 4. 4. | | | |
|---|--------------------------------------|--|--------------------|
| | warman warman and a said. | Salar Town How the second seco | unical salation of |
| | 50 St. 40 St. 40 St. | at the same of the same | 1 1 1 1 1 1 1 |
| DISPOSAL CONSIDERATION - SECTION 13 | | the state of the con- | |
| | | | |
| \$ MARKET AND THE PROPERTY OF T | and the same of the same of the same | marine de la companya de la company | |
| . I Polamana and impagandalamana social tamah menganya dan dan dan dan dan dan dan dan dan da | | 2.5 | 3 |
| Dispose of in accordance with local; state and federal regulations. | 100 | 1 | - 1 |
| is an engineering our set the market and a series that it is a series of the contract of the c | | | |
| | | | |

| TO MANAGEMENT WITH TAKE | NATION - SECTION 14 | |
|-------------------------|---------------------------------------|----------|
| V (F. 50 | DOT CLASSIFICATION: | 3 5 N |
| UN Number: | | |
| Class' : | Not regulated for Domestic Transport. | |



| | MSDS No.: | 007 |
|----------------------|---------------|-----|
| First Aid Burn Cream | Revision No.: | |
| | Date: | |

General Hygiene Considerations:

Practice safe work habits. Use according to label instructions.

Other Protective Equipment:

Eye wash stations should be nearby and ready for use.

| PRODUCT: | First Aid Burn Cream | |
|--|---------------------------|--|
| | | THE PERSON NAMED OF THE PERSON |
| General Information: | | |
| Appearance | White homogenous cream | The second secon |
| Odor | Slightly fatty odor | |
| | | |
| Important Health, Safety, and E | nvironmental Information: | |
| Boiling Point | 135° C (275° F) | |
| Melting Point | 60 ° C (140 ° F) | 20 to 10 to 10 |
| Flash Point | N/A | |
| Explosive Properties | No information available. | |
| Oxidizing Properties | No information available: | |
| Specific Gravity (H ₂ O = 1) | 0.81 | |
| Water Solubility | Miscible | |
| Partition Coefficient '(n-octanol/water) | No information available | • |
| Viscosity | No information available. | |
| Vapor Pressure (mm Hg) | No information available. | CONTROL MANAGEMENT AND |
| Vapor Density (Air = 1) | No information available. | |
| Evaporation Rate | 0.07 | TO THE REAL PROPERTY OF THE PARTY OF THE PAR |
| % Volatile (By Volume @ 68 °F) | 65 | |

| STABILITY & REACTIVITY | - SE | CTION 10 | | allor in Tallor | | versa i se i pri sebili Praticulare pri sessi | |
|---|----------------|------------|----------|--------------------|--|--|--------------|
| Stability: | | | | | | | ************ |
| 3 3 4 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | i e | 1. | 100 | 10.00 | | | |
| This material is stable under n | ormal c | onditions. | 3 | . | 26 | | |
| Conditions to Avoid: | | 1 | | Y. | THE CONTRACTOR OF THE PROPERTY | 1 ·· 4 · - 1 · · · · · · · · · · · · · · · · · | |
| | | V - | • | | | 18 | |
| Extreme heat | | . 1 | 10240 | N. | | | |
| Materials to Avoid: | - - | 5 | <u> </u> | • 1 | | | |
| | | k. | 82 | 8 6 | | | |
| Strong Oxidants, Strong Acids | i | 1, | | | | | |
| Hazardous Decomposition P | roduct | is: | | - | | | |
| **** | •; | | 27 | 10000 | | | |
| Carbon Monoxide, Carbon Dio | xide | 1.5 | | | | | |



First Aid Burn Cream

| MSDS No., | 007 |
|---------------|----------|
| Revision No.: | 2 |
| Date: | 12/02/04 |

ACCIDENTAL RELEASE MEASURES - SECTION 6

Environmental Precautions:

No information available.

Cleanup Methods:

Small spills: Spills should be collected with approved inert absorbent for disposal.

Large spills: Spills should be collected with approved inert absorbent for disposal.

| HANDLING & ST | ORAGE - SECTION 7 |
|----------------|--|
| Handling: | Keep this and other chemicals out of reach of children. |
| Storage: | Do not store or mix with strong acids or oxidizers. |
| Specific Uses: | First aid to help prevent infection and for temporary relief of pain in minor cuts, scrapes and burns. For external use only |

| | | 3 / PERSO | | |
|--|--|-----------|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

EXPOSURE CONTROLS:

Exposure Limit Values:

| | OSHA PEL: | ACGIH TLV: |
|--|------------------------|------------------------|
| Stearates (Glyceryl Stearate) | Not Established . | 10 mg/m3 |
| ************************************** | Total Dust: 15 mg/m3 | Total Dust: 10 mg/m3 |
| Glycerin Mist (Glycerin) | Respirable Fraction: 5 | Respirable Fraction: 5 |

Engineering Controls:

Local Exhaust is recommended.

PERSONAL PROTECTIVE EQUIPMENT:

Respiratory Protection:

None required under normal conditions.

Hand Protection:

None required under normal conditions.

Eye/Face Protection:

Eye protection, as necessary to prevent excessive contact.

Skin Protection:

None required under normal conditions.



| 10.0 | | | | |
|-----------------|--------|-------------|-------|--|
| Shake at 1 1 | AL 7 A | #~ | | |
| June 1 5" C. T. | 1111 | 3 - 2 1 0 P | Cream | |
| | | 1.454111 | | |

| M | SDS No.: | 007 |
|-----|-----------|----------|
| Rev | sion No.: | 2 |
| | Date: | 12/02/04 |

| FIRST AID MEASURES - S | ECTION 4 |
|-----------------------------|--|
| SEEK MEDICAL AT | TENTION FOR ALL CASES OF OVEREXPOSURE. |
| FIRST AID MEASURES: | |
| Eyes: | Flush immediately with large amounts of water. If redness or irritation persists, contact a physician. |
| Skin: | No adverse conditions expected. |
| Inhalation: | Unlikely route of exposure. |
| Ingestion: | Contact a physician immediately. |
| Instructions for Physician: | Available data does not identify any conditions. |

| | NFPA CI | ssification | | · | | |
|--|---|--------------|-------------------|----------|------------|--|
| Health E | ire | Reactiv | /ity | | Othe | <u>r</u> |
| 1 | 0 | 0 | | | N/A | |
| FLAMMABILITY PROPERTIES | | | | | 2/2 | · L' Q } |
| Flash Point: N/A | | Method: | N/A | | | |
| Flammability Limits: (in air % b | y volume) | LEL: | N/A | *\}` | UEL: | N/A |
| Autoignition Temperature: | | | à | , , | 1 | A CONTRACTOR OF THE CONTRACTOR |
| N/A. 3 | 9 | 15 | 15 | | | |
| Hazardous Combustion Produ | cts: | | ********** | - | h | |
| Carbon Monoxide, Carbon Dioxi | de | | • | | * | |
| Extinguishing Media: | | 7 | | 1.77 | | |
| Use extinguishing media approp | oriate for th | e surroundin | g fire | Use w | ater spray | , foam or |
| Prohibited Extinguishing Medi | ia: | arran (1900) | | | | et el demonstratives de la constitución de la constitución de la constitución de la constitución de la constitu |
| In fires involving large quantities should be avoided. | es of this | product, the | use | of large | streams | of water |
| Firefighting Instructions: | estate de la companya | | iyain waxaa waxaa | : | | |

Use self-contained breathing apparatus when fighting fires that involve this material.

Unusual Fire and Explosion Hazards:

Carbon monoxide and carbon dioxide may be generated.



| | | MSDS No.: 007 | *** |
|----------------------|-----|-----------------|-----|
| First Aid Burn Cream | 196 | Revision No.: 2 | |
| | | Date: 12/02/04 | |

| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | ······································ | , |
|--|--|--|-----|
| | TWA (Stearates): | 200 | 8 |
| Exposure Limits | and the state of t | Ÿ | ħ. |
| | 10 mg/m3 | The state of the s | · |
| Chemical Name: | White Mineral Oil | : | |
| Percent: | Proprietary | | • |
| CAS Number: | 8042-47-5 | | |
| Exposure Limits | None Established | | |
| Chemical Name: | Peg 100 | | j |
| Percent: | Proprietary | | |
| CAS Number: | 25322-68-3 | | |
| Exposure Limits | None Established | | |
| Chemical Name: | Stearic Acid | | |
| Percent: | Proprietary | | 200 |
| CAS Number: | 57-11-4 | | |
| Exposure Limits | None Established | | |
| and the second s | | | |

| HAZARDS IDENTIFICATION | I—SECTIONS | | | |
|---|---|--|--|--|
| EMERGENCY OVERVIEW & HAZARDS PRESENT TO MAN AND THE ENVIRONMENT | May cause irritation to eyes and may cause irritation of the digestive tract when ingested. | | | |
| PRIMARY ROUTES OF EXPOSURE | Eye Contact, Ingestion | | | |
| POTENTIAL HEALTH EFFECT | | | | |
| Eyes: | May cause irritation, characterized by a burning sensation, redness, tearing, inflammation, dryness, and possible other effects. | | | |
| Skin: | No adverse conditions expected. | | | |
| ; Inhalation: | Unlikely route of exposure. | | | |
| Ingestion: May cause irritation of the digestive tract. | | | | |
| MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: | No information available. | | | |
| CHRONIC HEALTH EFFECTS | | | | |
| Eyes: | Flush eyes with clear running water for a minimum of fifteen (15) minutes while holding eyelids open, if irritation persists, seek medical attention. | | | |
| Skin: | No adverse conditions expected. | | | |
| Inhalation: | Unlikely route of exposure. | | | |
| . Ingestion: | Rinse out mouth and drink lots of water. In case of unusual symptoms, seek medical attention and show physician the container details. | | | |



| First Aid Bu | rn Cream |
|--------------|----------|
|--------------|----------|

| MSDS No.: | 007 |
|---------------|----------|
| Revision No.: | 2 |
| Date: | 12/02/04 |

| | Water-Jel Technologies | | | |
|---------------------------|---|--|--|--|
| B | 243 Veterans Boulevard | | | |
| Manufacturer/Distributor: | Carlstadt, NJ 07072 | | | |
| 87 | 201-507-8300 | | | |
| | 800-275-3433 | | | |
| Product Name: | First Aid Burn Cream | | | |
| Synonyms: | Topical Cream, Burn Cream | | | |
| Intended Use: | First aid to help prevent infection and for temporary relief of pain in minor cuts, scrapes and burns. For external use only. | | | |

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT:

In the continental U.S.: 800-275-3433
For additional information: 201-507-8300

| In accordance w | ith 29 CFR §1910.1200 (i)(1) the specific chemical identif | V 0 |
|------------------|--|---|
| | ing withheld as a trade secret. | |
| Chemical Name: | Cetyl Alcohol | |
| Percent: | Proprietary | *************************************** |
| CAS Number: | 36653-82-4 | ********** |
| Exposure Limits | None Established | |
| Chemical Name: | Germaben II | *************************************** |
| Percent: | Proprietary | |
| CAS Number: | No information available. | |
| Exposure Limits | None Established | |
| Chemical Name: | Glycerin | |
| Percent: | Proprietary | |
| CAS Number: | 56-81-5 | |
| | ACGIH TWA (Glycerin Mist): OSHA PEL (Glycerin Mist): | |
| Exposure Limits. | Total Dust: 15 mg/m3 Total Dust: 10 mg/m3 | |
| | Respirable Fraction: 5 mg/m3 Respirable Fraction: 5 mg/m3 | 3 |
| Chemical Name: | Glyceryl Monostearate SE (Glyceryl Stearate) | |
| Percent: | Proprietary | |
| CAS Number: | 31566-31-3 | 2222 |

ALCOHOL PREP/SWAB

VI. HEALTH HAZARD DATA

EFFECTS OF OVER EXPOSURE:

SKIN IF RASH APPEARS, DISCONTINUE USE EYES: WILL CAUSE EYE STING IF SPLASHED

INHALATION: NONE

INGESTION NOT A NORMAL ROUTE OF ENTRY

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: DISCONTINUE USE IF RASH OR IRRITATION OCCURS

EYE CONTACT: FLUSH WITH COLD WATER FOR 15 MINUTES

INHALATION: REMOVE TO FRESH AIR.

INGESTION: INDUCE VOMITING. CALL PHYSICIAN

TARGET ORGANS: N/A

VII. SPILL AND DISPOSAL PROCEDURE

SPILL CONTROL: ELIMINATE ALL SOURCES OF IGNITION

WASTE DISPOSAL METHOD: FLUSH SPILLS WITH WATER, HANDLE AS FLAMMABLE LIQUID. FOLLOW LOCAL,

STATE AND FEDERAL REGULATIONS.

HANDLING AND STORAGE: STORE AWAY FROM HEAT AND SOURCES OF IGNITION

VIII. CONTROL MEASURES/PROTECTION

RESPIRATION: USE IF PERMISSABLE EXPOSURE LEVEL IS EXCEEDED WHEN HANDLING BULK LIQUID

VENTILATION: RECOMMENDED

PROTECTIVE GLOVES: NONE REQUIRED

EYE PROTECTION: ONLY IF SPLASHING IS EXPECTED

HYGIENIC PRACTICES: GOOD HOUSEKEEPING PRACTICES SHOULD BE FOLLOWED.

OTHER: DON'T ALLOW LARGE QUANTITIES OF WASTE TO ACCUMULATE

IX. TRANSPORT/SHIPPING

DOT SHIPPING NAME: N/A

TECHNICAL SHIPPING NAME: N/A

DOT SHIPPING CLASSIFICATION: DOT-NOT REGULATED

DOT ID NO.: N/A

DOT LABEL REQUIREMENTS: N/A UN/NA NUMBER REGULATIONS: N/A

REPORTABLE QUANTITY: N/A

X. DISCLAIMER

THE INFORMATION FURNISHED HEREIN IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST DATA CURRENTLY AVAILABLE TO US. NO WARRANTY, EXPRESSED OR IMPLIED IS MADE AND NICE-PAK PRODUCTS, INC. ASSUMES NO LEGAL RESPONSIBILITY OR LIABILITY RESULTING FROM ITS USE.

James Alexander Corporation 845 Route 94 Blairstown, NJ 07825 - Product Name: MEDICAINE STING AND BITE RELIEF

MSDS Effective Date: September 10, 2004

Page 5 of 5

number is to be used only in the event of chemical emergencies involving a spill, Icak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to JAC at (908) 362-9266. CHENITREC 24 Hour Emergency Phone: (800) 424-9300 Note: The CHEMIREC emergency

assume all risks of their use, handling, and disposal of the product, or from the publication or use designated herein and does not relate to its use in combination with any other material or in any makes no representations as to its accuracy or sufficiency. Conditions of use are beyond JAC's control and therefore, users are responsible to verify this data under their own operating of, or reliance upon, information contained herein. This information relates only to the product All information appearing herein is based upon data obtained from the manufacturer(s) and/or recognized technical sources. While the information is believed to be accurate, JAC conditions to determine whether the product is suitable for their particular purposes and they

James Alexander Corporation 845 Route 94 Blairstown, NJ 07825

Product Name: MEDICAINE® STING AND BITE RELIEF

MSDS Effective Date: September 10, 2004

Page 4 of 5

CHEMTREC 24 Hour Emergency Phone: (800) 424-9300 Note: The CHEMTREC emergency number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to JAC at (908) 362-9266.

Eve Protection: Not required for product (JAC unit dose swab) use. When handling bulk material, always wear gas-tight, splash-proof chemical safety goggles meeting OSHA 29CFR 1910.133 specifications.

<u>Skin Protection:</u> Not required for product (JAC unit dose swab) use. When handling bulk material, use nitrile, neoprene or natural rubber gloves for most effective skin protection.

-IX. HAZARDOUS REACTIVITY -----

Stable at room temperature. Hazardous polymerization will not occur. However, carbon monoxide gas and unidentified organic compounds may be formed during combustion.

<u>Conditions To Avoid:</u> Sunlight, heat (heating above ambient temperatures causes the vapor pressure of the material to increase). Avoid contact with strong oxidizing agents.

Do not store or handle in aluminum equipment at temperatures above 120 degrees F.

---X SPILL, LEAK AND DISPOSAL PROCEDURES --

For large spills, stop leak if you can do so without risk. Extinguish all sources of ignition. Wear self-contained breathing apparatus, chemical safety goggles and full protective clothing. Ventilate area. Spilled liquids should be contained and not washed into sewers or ground water. Contain by diking with non-combustible absorbent materials and place residue in DOT approved waste container.

Comply with all applicable local, state and federal regulations on spill reporting, handling and disposal of waste.

Other Precautions: Containers, even those that have been emptied, will retain product residue and vapors. Handle empty containers as if they were full.

Prepared By: David Robinson

Title: Vice President

Date of Initial Preparation: June 1989
Latest Revision Date: September 10, 2004

NOTE: This Material Safety Data Sheet is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, the safe handling of chemical materials.

James Alexander Corporation (JAC), expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose with respect to the product or information provided herein.

James Alexander Corporation 845 Route 94 Blairstown, NJ 07825

Product Name: MEDICAINE® STING AND BITE RELIEF

MSDS Effective Date: September 10, 2004

Page 3 of 5

CHEMTREC 24 Hour Emergency Phone: (800) 424-9300 Note: The CHEMTREC emergency number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to JAC at (908) 362-9266.

-VI. EMERGENCY AND FIRST AID PROCEDURES --

<u>For Inhalation</u>: Remove subject immediately to fresh air. Give artificial respiration if victim is not breathing. If breathing is difficult, give oxygen. Get immediate medical attention.

For Eye Contact: Immediately flush eyes with copious amounts of water for at least 15 minutes. Eyelids should be held apart and away from eyeball for thorough rinsing. Do not permit victim to rub eyes. Get immediate medical attention.

For Skin Contact: Immediately flush skin with copious amounts of water for at least 15 minutes while removing contaminated clothing and shoes. Obtain medical attention if irritation persists after washing. Wash clothing before re-use.

For Ingestion: Contact a Poison Control Center immediately. Give no more than 2 glasses of water and induce vomiting by giving 30 cc (2 tablespoons) of syrup of ipecac. If victim is a child, give no more than 1 glass of water and 15cc (1 tablespoon) syrup of ipecac. If syrup of ipecac is unavailable, give 2 glasses of water and induce vomiting by touching finger to back of victim's throat. Do not give anything by mouth to an unconscious or convulsing person. Get immediate medical attention.

VII. TOXICITY DATA

None of the components present in this formulation are currently classified as carcinogens in the NTP Annual Report on Carcinogens, IARC Monographs or by OSHA.

-VIII. PERSONAL PROTECTION -----

Storage Requirements: Protect containers from physical damage. Detached or outside storage is preferred. Inside storage should be in an NFPA approved flammable liquids storage room or cabinet. Store at temperatures below 77 degrees F (25°C). Do not store in direct sunlight. Isolate from incompatible materials. Keep containers tightly closed.

Handling Requirements: All ignition sources should be eliminated. Remove closure carefully; internal pressure may be present. Keep closure up to prevent leakage. When contents are being transferred, metallic containers must be bonded to the receiving container and grounded to avoid static discharges. Never use pressure to empty containers. Replace closure carefully after each opening.

Ventilation: Not required for product (JAC unit dose swab) use. When handling bulk material, use general or local exhaust ventilation to meet TLV requirements. Where engineering controls are not feasible or sufficient to achieve full conformance with acceptable exposure limits, use a NIOSH approved respirator designed for organic vapors.

James Alexander Corporation 845 Route 94 Blairstown, NJ 07825

Product Name: MEDICAINE® STING AND BITE RELIEF

MSDS Effective Date: September 10, 2004

Page 2 of 5

CHEMTREC 24 Hour Emergency Phone: (800) 424-9300 Note: The CHEMTREC emergency number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to JAC at (908) 362-9266.

Flammable limits in air % by volume: Lower (Unknown) Upper(Unknown)

Extinguishing media: "Alcohol resistant" foam, CO2 or dry chemical.

Special fire fighting procedures:

NOTE: Individuals should perform only those fire-fighting procedures for which they have been trained.

Remove all sources of ignition. Move exposed containers from fire area if it can be done without risk. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece operated in positive pressure mode. Spray extinguishing media directly into base of flames. Water may be used to keep fire-exposed containers cool.

Unusual fire and explosion hazard: When heated, mixture will give off carbon monoxide and unidentified organic compounds. Closed containers exposed to heat may develop pressure and explode.

--<u>V. HEALTH HAZARD INFORMATION</u> -

Primary routes of exposure: Inhalation, eye contact, skin contact, ingestion.

Signs and symptoms of overexposure:

<u>Inhalation</u>: May cause mild irritation to the nose, throat, and respiratory tract and may result in depression of the central nervous system.

Eye contact: Moderately irritating to the eyes.

Skin contact: Mildly irritating to the skin.

<u>Ingestion</u>: Irritating to the gastrointestinal tract. May cause abdominal pain and vomiting (sometimes bloody). Ingestion may cause central nervous system depression, low blood pressure, rapid heart beat and liver damage.

Early to moderate central nervous system depression may be evidenced by giddiness, headache, dizziness and nausea. In extreme cases, unconsciousness, respiratory depression and death may occur. Liver damage may be evidenced by loss of appetite, jaundice (yellowish skin color) and sometimes pain in the upper abdomen on the right side.

Medical Conditions Aggravated by Exposure: Individuals with pre-existing skin disorders, eye problems, or impaired respiratory function may be more susceptible to the effects of overexposure.

James Alexander Corporation 845 Route 94 Blairstown, NJ 07825 Product Name: MEDICAINE® STING AND BITE RELIEF

MSDS Effective Date: September 10, 2004

Page 1 of 5

CHEMTREC 24 Hour Emergency Phone: (800) 424-9300 Note: The CHEMTREC emergency number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to JAC at (908) 362-9266.

-- I. PRODUCT IDENTIFICATION --

Manufacturer's Name: James Alexander Corporation

Phone: (908)362-9266

Emergency Telephone No.: (800)424-9300 (CHEMTREC)

Address: 845 Route 94 Blairstown, NJ 07825

Product Name: MEDICAINE® STING AND BITE RELIEF.

Synonyms: N/A

D.O.T. Shipping Name: Consumer Commodity- ORM-D for ground shipments

Flammable Liquid NOS, 3, UN1993, PGII (contains isopropanol) for

air shipments only

NFPA Ratings: Health - 2 Flammability - 3 Instability - 0

-II. HAZARDOUS INGREDIENTS

-III. PHYSICAL DATA --

Boiling Point: N/A for mixtures. Melting Point: Unknown

Specific Gravity: 1.029 25/25 Vapor Pressure: Unknown

Vapor Density: Unknown Solubility in water: Very soluble

% volatiles by vol.: 29% Evaporation Rate (Butyl acetate=1): Unknown

Appearance and odor: Clear, dark green liquid. Odor of isopropyl alcohol, residual odor of

menthol.

pH: Unknown

-IV FIRE & EXPLOSION INFORMATION

Flash Point: 62 degrees F Test Method: Pensky Martens Closed Cup

Autoignition temp: Isopropyl Alcohol: 852 degrees F (456°C)



DRUG FACTS PAC-KIT ASPIRIN TABLETS

Pac-Kit Safety Equipment Co. 57 Chestnut St. S. Norwalk, CT, USA 06854

Applies to: Unit dose packets of two tablets each, packaged in the following box counts: Stock #20-112, 12/box; Stock #20-155, 50/box; Stock #20-150, 100/box; Stock #20-125,

250/box; Stock #20-199, 500/box Specification last updated: 8/29/05

Active Ingredients (in each tablet)......Purpose

Aspirin 325 mg. Pain Reliever/Fever Reducer

Uses

For the temporary relief of pain from: • Headaches • Fever • Minor Pain

Warnings

ALLERGY ALERT: Aspirin sensitive patients, do not take this product if you have had a severe allergic reaction to Aspirin (e.g., asthma, swelling, shock or hives) or if you have stomach problems (such as heartburn, upset stomach or stomach pain) that persist or recur, or if you have gastric ulcers or bleeding problems.

REYE SYNDROME: Children and teenagers should not use this medicine for chicken pox or flu symptoms before a physician is consulted about Reye Syndrome, a rare but serious illness reported to be associated with Aspirin.

ALCOHOL WARNING: If you consume 3 or more alcoholic drinks every day, ask your doctor whether you should take Aspirin or other pain relievers/fever reducers. Aspirin may cause stomach bleeding.

DO NOT USE UNLESS DIRECTED BY YOUR PHYSICIAN IF:

- · You are currently under a doctor's care or are taking prescription drugs
- · You have previously had reactions to this or any other non-prescription pain reliever

WHEN USING THIS PRODUCT:

• Do note exceed recommended dosage unless under the advice of your physician, use the smallest effective dose. Do not use if the expiration date has passed.

STOP USING AND ASK A DOCTOR IF:

- Pain persists for more than 10 days for adults or 5 days for children
- Fever persists for more than three days
- Redness is present
- Ringing in the ears or hearing loss occurs
- An allergic reaction occurs
- · Conditions worsen, or clear up and then recur

Keep this and all drug products out of the reach of children. In case of an accidental overdose, contact a physician or poison control center immediately. Prompt medical attention is critical for children as well as adults, even if you do not see any signs or symptoms. If you are pregnant or nursing a baby, as with any drug, contact a health professional before using this product. It is especially important not to use Aspirin during the last three months of pregnancy as it may cause problems with the unborn child or complications during delivery.

Directions:

| Tamper | evident | packaging, | do not use | if the p | acket is o | pened or to | im. |
|---------|---------|------------|------------|----------|------------|-------------|----------|
| Adults: | | | | | 1 to | 2 tablets e | very 4 h |

: .not exceed 12 tablets in 24

Other information: Store at room temperature

Inactive Ingredients: May contain Cellulose, Croscarmellous Sodium, Hydroxypropyl