MATERIAL SAFETY DATA SHEET MSDS No.: 007 Id Burn Cream Pevision No.: 2 Date: 12/02/04	10	£	ř	r
RIAL SAFE Cream	上してく		Revision No.: 2	Date: 12/02/04
	SAFE	*		

502	Not Listed	
STATER	STATE REGULATIONS	No. A design of the second sec
MA Substance List	Not Listed	AND THE PARTY OF T
NJ RTK Hazardous Substance List	Not Listed	CASS AND REPROPERTY OF THE PARTY OF THE PART
PA Hazardous Substance List	Not Listed	
Canadian WHMIS	Not Listed	Water, enterlience (1995) Print, J. D. De Company of Communication of Comm

8	Revision Date	04/28/05
OTHER INFORMATION - SECTION 16	Revision Number	2

whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All neither Water-Jel Technologies, nor any of its subsidiaries assumes any liability To the best of our knowledge, the information contained herein is accurate. However, materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



		A COMPANIES OF THE STATE OF THE
	MSDS No.:	007
First Aid Burn Cream	Revision No.:	2
	Date:	12/02/04

Proper Shipping Name:		- egic		
Packing Group:	Not regulated for Domestic Transport.			
Marine Pollutant:				
Other Information:	Per contract of the contract o	310		
	IATA CLASSIFICATION:	~~		
UN Number:		and it		
Class:	*	8		
Proper Shipping Name:				
Packing Group:	Not regulated for International Air Transport.			
Marine Pollutant:		32		
Other Information:		200		
- Providence was respectively and a finish for the second	IMDG CLASSIFICATION:			
UN Number:	AND THE REAL PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE P	-		
Class:	and the second s			
Proper Shipping Name:				
Packing Group:	Not regulated for International Water Transport.	1.00		
Marine Pollutant:				
Other Information:				

REGUL		,	destroy of the same of	REGULATIONS	, a captu
CP-1800 Miletinaamunaana ppagagaa 400 Feering va	TO THE STATE OF TH	***************************************		TWA (Glycerin Mist):	
	1			Total Dust: 15 mg/m3	P
ACGIH			1	Respirable Fraction: 5 mg/m3	Í
# *		;		TWA(Stearates):	**************************************
î.	e e	::1	V.	10 mg/m3	ŕ
CAA Sec	tion 112		······································	Not Listed	
CERCLA	• .	,,		Not Listed	
IARC		***************************************	***************************************	Not Listed	
NTP				Not Listed	
≈ 1	÷ ',	ä		OSHA PEL (Givcerin Mist):	response
OSHA	*1	850	\$ 	Total Dust: 10 mg/m3	4
	1. 	i.	. :	Respirable Fraction: 5 mg/m3	
SARA Tit	le ((I			Not Listed	·



First Aid Burn Cream

MSDS No.: | 007 Revision No.: | 2 Date: | 12/02/04

Hazardous Polymerization:

Will not occur.

TOXICOLOGICAL Type of Test	Route of Exposure	Effects	Species Observed	<u>Dose Data</u>
LD ₅₀ - (Cetyl Alcohol)	Oral	Death	Rodent - Rat	5 gm/kg
LD ₅₀ - (Glycerin)	Oral	Death	Rodent - Rat	12600 mg/kg
LD₅₀ - (Glyceryl Stearate)	Intraperitoneal	Death	Rodent - Mouse	200 mg/kg
LD ₅₀ - (Mineral Oil)	Oral	Death	Rodent - Mouse	22 gm/kg
LD _{so} - (Stearic acid)	Intravenous	Death	Rodent - Rat	21500 ug/kg

ECOLOGICAL INFORMATION - SEC	TION 12		A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Ecotoxicity:		A Marie Common and Com	te termini kalikin ingunis kali 2000 kana da kana da kana da kalikin kalikin kana da kana kaliki n da kana da ka
No information available.			
Mobility:	enceronación de la constitución de		or or property and the second
MA BA N	12	21	W
No information available.	8		
Persistence and Degradability:	** · · · · · · · · · · · · · · · · · ·		gas et lada. Lada gart et parti <mark>a la s</mark> eguna esta sia con compléte à la late la lada de la sema servita et l'ill. Innocesseg
No information available.		• •	ų Ž

Bioaccumulative Potential:

No information available.

DISPOSAL CONSIDERATION – SECTION 13 Dispose of in accordance with local; state and federal regulations.

TRANSPORT INFORM	ATION - SECTION 14	
	DOT CLASSIFICATION:	A service and the service and
UN Number:		
Class:	Not regulated for Domestic Transport.	1



First Aid Burn Ci	ream
-------------------	------

	MS	DS No.:	007
F	Revis	ion No.:	2
1		Date	12/02/04

General Hygiene Considerations:

Practice safe work habits. Use according to label instructions.

Other Protective Equipment:

Eye wash stations should be nearby and ready for use

PHYSICAL & CHEMICAL PR		
PRODUCT:	First Aid Burn Cream	
General Information:		
Appearance	White homogenous cream	and and a second property of the second and analysis of the second period period of the second period perio
Odor	Slightly fatty odor	William Committee of the Committee of th
	- /	
Important Health, Safety, and E	Environmental Information:	de al video congress de la constante de la con
Boiling Point	135°C (275°F)	
Melting Point	60 ° C (140 ° F)	THE PROPERTY OF THE PROPERTY OF THE PARTY OF
Flash Point	N/A	
Explosive Properties	No information available.	
Oxidizing Properties	No information available:	
Specific Gravity (H ₂ 0 = 1)	0.81	
Water Solubility	Miscible	
Partition Coefficient	No information available.	
Viscosity	No information available.	Millio Mahaida (Arganis de Arganis de Maria) e e e e e e e e e e e e e e e e e e e
Vapor Pressure (mm Hg)	No information available.	
Vapor Density (Air = 1)	No information available.	
Evaporation Rate	0.07	
% Volatile (By Volume @ 68 °F)	65	e de de la company de la compa

STABILITY & REACTIVITY	- SEC	TION 10			
Stability:			<u>an en d'allagre l'era, e</u>	f *	- Conference - Con
	A .	Y.3		, i	
This material is stable under no	ormal co	onditions		<i>3</i> **	
Conditions to Avoid:		4	: .		and the second s
	·		1.		
Extreme heat	25	s. •	٠	Çara İ	
Materials to Avoid:	V		•		AND THE RESIDENCE OF THE PROPERTY OF THE PROPE
		i.	4 4	3	
Strong Oxidants, Strong Acids	2	K,	· ·		1/2
Hazardous Decomposition Pr	roducts	.	The second secon		
		•	.1		
Carbon Monoxide, Carbon Diox	ride	1.1	21 (10)	r.	



First Aid Burn Cream

MSDS No.	007
Revision No.:	2
Date:	12/02/04

ACCIDENTAL RELEASE MEASURES - SECTION 6

Environmental Precautions:

No information available.

Cleanup Methods:

Small spills: Spills should be collected with approved inert absorbent for disposal.

Large spills: Spills should be collected with approved inert absorbent for disposal.

HANDLING & STORAGE - SECTION 7				
Handling:	Keep this and other chemicals out of reach of children.			
Storage:	Do not store or mix with strong acids or oxidizers.			
Specific Uses:	First aid to help prevent infection and for temporary relief of pain in minor cuts, scrapes and burns. For external use only.			

EXPOSURE CONTROLS / PERSONAL PROTECTION - SECTION 8 EXPOSURE CONTROLS:

Exposure Limit Values:

	OSHA PEL:	ACGIH TLV:
Stearates (Glyceryl Stearate)	Not Established	10 mg/m3
	Total Dust: 15 mg/m3	Total Dust: 10 mg/m3
Glycerin Mist (Glycerin)	Respirable Fraction: 5 mg/m3	Respirable Fraction: 5 mg/m3

Engineering Controls:

Local Exhaust is recommended.

PERSONAL PROTECTIVE EQUIPMENT:

Respiratory Protection:

None required under normal conditions.

Hand Protection:

None required under normal conditions.

Eye/Face Protection:

Eye protection, as necessary to prevent excessive contact.

Skin Protection:

None required under normal conditions.



		MSDS No.:	
First Aid Burn Cream	Territoria de la constanta de	Revision No.:	2
		Date	12/02/04

FIRST AID MEASURES - :	BECHON 4		
SEEK MEDICAL AT	TENTION FOR ALL CASES OF OVEREXPOSURE.		
FIRST AID MEASURES:			
Eyes:	Flush immediately with large amounts of water. If redness or irritation persists, contact a physician.		
Skin:	No adverse conditions expected.		
Inhalation:	Unlikely route of exposure.		
Ingestion:	Contact a physician immediately.		
Instructions for Physician:	Available data does not identify any conditions.		

	NFPA CIa	ssification	· ·		70 87
Health	Fire	Reacti	vity	Other	<u> </u>
1	0	0		N/A	
FLAMMABILITY PROF	PERTIES			1. 21	, Na gi
Flash Point: N/A		Method:	N/A	- Charles and the Consequence of	:
Flammability Limits: (in air % by volume)	LEL;	N/A	UEL:	N/A
Autoignition Tempera	ture:	-			
N/A. N	no. Ti			×	a.
Hazardous Combustic	n Products:	· · · · · · · · · · · · · · · · · · ·	Many department of the second		or house of the second second second second second
Carbon Monoxide, Carb	oon Dioxide) 4		10	
Extinguishing Media:		4		***************************************	*************************************
Use extinguishing medi	a appropriate for the	e surroundin	a fire. Use w	ater sprav.	foam or
dry chemical.					
Prohibited Extinguish	ing Media:				Military of State of the State
In fires involving large should be avoided.	quantities of this p	product, the	use of large	e streams	of water
Firefighting Instruction	<u>15</u> :	Andrea Marie year programment to a second to a fine day have being yeary.	***************************************		the balls of congression
Use self-contained brea	thing apparatus who	n fighting fir	es that involv	e this mate	rial
Unusual Fire and Expl		ar nganung m	CO HIGH HINOIN	o mo mato	11(3).

Carbon monoxide and carbon dioxide may be generated.



	MSDS No.: 007
First Aid Burn Cream	Revision No.: 2
	Date: 12/02/04

	TWA (Stearates):		2 3		West Control of the C	:	
Exposure Limits	10 mg/m3),	W.		100
Chemical Name:	White Mineral Oil			***************************************			
Percent:	Proprietary	errorium o magninacum anno casca canagan	-History in the Paris		*		***************************************
CAS Number:	8042-47-5				A A A A A A A A A A A A A A A A A A A		
Exposure Limits	None Established		***************************************	and to a mail to the state of Canada	W. Miller O. Co. Co. Co. Co.	*	
Chemical Name:	Peg 100	TO OTHER DESIGNATION OF THE PARTY OF THE PAR			***************************************		ANN THE SHAMPS OF A STREET
Percent:	Proprietary	Wildows or an arrange	· · · · · · · · · · · · · · · · · · ·		-iv-u arun eran arrene Museumun	K	
CAS Number:	25322-68-3	•	i tana and	neses (distilled) Deleganos (en gage		F	and a line of the last of the second of the
Exposure Limits	None Established	······					·V···
Chemical Name:	Stearic Acid				erra mercana anti-		**************************************
Percent:	Proprietary		was needed and the section to the se	• Shiredown	7 III III II	4	**************************************
CAS Number:	57-11-4	*******	********				-A/ALINEU/IVJ
Exposure Limits	None Established	1	1, a 2				
	***************************************					er en selvelskild. Die sere de sere en gegen være	

HAZARDS IDENTIFICATION	N-SECTION 3
EMERGENCY OVERVIEW & HAZARDS PRESENT TO MAN AND THE ENVIRONMENT	May cause irritation to eyes and may cause irritation of the digestive tract when ingested.
PRIMARY ROUTES OF EXPOSURE	Eye Contact, Ingestion
POTENTIAL HEALTH EFFECT	
Eyes:	May cause irritation, characterized by a burning sensation, redness, tearing, inflammation, dryness, and possible other effects.
Skin:	No adverse conditions expected.
, inhalation:	Unlikely route of exposure,
Ingestion:	May cause initation of the digestive tract.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:	No information available.
CHRONIC HEALTH EFFECTS.	
Eyes:	Flush eyes with clear running water for a minimum of fifteen (15) minutes while holding eyelids open; if irritation persists, seek medical attention.
Skin:	No adverse conditions expected.
Inhalation:	Unlikely route of exposure.
. Ingestion:	Rinse out mouth and drink lots of water. In case of unusual symptoms, seek medical attention and show physician the container details.



F	irst	Aid	Burn	Cream	
---	------	-----	------	-------	--

-	MSDS No.:	007
	Revision No.:	2
	Date:	12/02/04

Manufacturer/Distributor:	Water-Jel Technologies		
	243 Veterans Boulevard		
	Carlstadt, NJ 07072		
	201-507-8300		
	800-275-3433		
Product Name:	First Aid Burn Cream		
Synonyms:	Topical Cream, Burn Cream		
Intended Use:	First aid to help prevent infection and for temporary relief of pain in minor cuts, scrapes and burns. For external use only.		

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT:

In the continental U.S.: 800-275-3433 For additional information: 201-507-8300

COMPOSITION	NFORMATION—SECTION 2	3165
In accordance w	ith 29 CFR §1910.1200 (i)(1) the specific chemical identi	tv of
this product is be	ing withheld as a trade secret.	
Chemical Name:	Cetyl Alcohol	
Percent:	Proprietary	9
CAS Number:	36653-82-4	**)**)*********
Exposure Limits	None Established	1
Chemical Name:	Germaben II	TO TO PART AND A CO.
Percent:	Proprietary	· · · · · · · · · · · · · · · · · · ·
CAS Number:	No information available.	
Exposure Limits	None Established	
Chemical Name:	Glycerin	<u></u>
Percent:	Proprietary	
CAS Number:	56-81-5	***************************************
	ACGIH,TWA (Glycerin Mist): OSHA PEL (Glycerin Mist):	4
Exposure Limits.	Total Dust: 15 mg/m3 Total Dust: 10 mg/m3	. ,
Chemical Name:	Respirable Fraction: 5 mg/m3 Respirable Fraction: 5 mg/m3	3
	Glyceryl Monostearate SE (Glyceryl Stearate)	
Percent:	Proprietary	
CAS Number:	31566-31-3	* 0

ALCOHOL PREP/SWAB

VI. HEALTH HAZARD DATA

EFFECTS OF OVER EXPOSURE:

SKIN IF RASH APPEARS, DISCONTINUE USE EYES: WILL CAUSE EYE STING IF SPLASHED

INHALATION: NONE

INGESTION NOT A NORMAL ROUTE OF ENTRY

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: DISCONTINUE USE IF RASH OR IRRITATION OCCURS

EYE CONTACT: FLUSH WITH COLD WATER FOR 15 MINUTES

INHALATION: REMOVE TO FRESH AIR.

INGESTION: INDUCE VOMITING. CALL PHYSICIAN

TARGET ORGANS: N/A

VII. SPILL AND DISPOSAL PROCEDURE

SPILL CONTROL: ELIMINATE ALL SOURCES OF IGNITION

WASTE DISPOSAL METHOD: FLUSH SPILLS WITH WATER. HANDLE AS FLAMMABLE LIQUID. FOLLOW LOCAL

STATE AND FEDERAL REGULATIONS.

HANDLING AND STORAGE: STORE AWAY FROM HEAT AND SOURCES OF IGNITION

VIII. CONTROL MEASURES/PROTECTION

RESPIRATION: USE IF PERMISSABLE EXPOSURE LEVEL IS EXCEEDED WHEN HANDLING BULK LIQUID

VENTILATION: RECOMMENDED

PROTECTIVE GLOVES: NONE REQUIRED

EYE PROTECTION: ONLY IF SPLASHING IS EXPECTED

HYGIENIC PRACTICES: GOOD HOUSEKEEPING PRACTICES SHOULD BE FOLLOWED.

OTHER: DON'T ALLOW LARGE QUANTITIES OF WASTE TO ACCUMULATE

IX. TRANSPORT/SHIPPING

DOT SHIPPING NAME: N/A

TECHNICAL SHIPPING NAME: N/A

DOT SHIPPING CLASSIFICATION: DOT-NOT REGULATED

DOT ID NO.: N/A

DOT LABEL REQUIREMENTS: N/A UN/NA NUMBER REGULATIONS: N/A

REPORTABLE QUANTITY: N/A

X. DISCLAIMER

THE INFORMATION FURNISHED HEREIN IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST DATA CURRENTLY AVAILABLE TO US. NO WARRANTY, EXPRESSED OR IMPLIED IS MADE AND NICE-PAK PRODUCTS, INC. ASSUMES NO LEGAL RESPONSIBILITY OR LIABILITY RESULTING FROM ITS USE.

James Alexander Corporation 845 Route 94 Blairstown, NJ 07825

Product Name: MEDICAINE® STING AND BITE RELIEF

MSDS Effective Date: September 10, 2004

Page 5 of 5

number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident CHEMIREC 24 Hour Emergency Phone: (800) 424-9300 Note: The CHEMIREC emergency involving chemicals. All non-emergency questions should be directed to JAC at (908) 362-9266.

assume all risks of their use, handling, and disposal of the product, or from the publication or use designated herein and does not relate to its use in combination with any other material or in any makes no representations as to its accuracy or sufficiency. Conditions of use are beyond JAC's of, or reliance upon, information contained herein. This information relates only to the product All information appearing herein is based upon data obtained from the manufacturer(s) conditions to determine whether the product is suitable for their particular purposes and they and/or recognized technical sources. While the information is believed to be accurate, JAC control and therefore, users are responsible to verify this data under their own operating

James Alexander Corporation 845 Route 94 Blairstown, NJ 07825 Product Name: MEDICAINE® STING AND BITE RELIEF

MSDS Effective Date: September 10, 2004

Page 4 of 5

CHEMTREC 24 Hour Emergency Phone: (800) 424-9300 Note: The CHEMTREC emergency number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to JAC at (908) 362-9266.

Eve Protection: Not required for product (JAC unit dose swab) use. When handling bulk material, always wear gas-tight, splash-proof chemical safety goggles meeting OSHA 29CFR 1910.133 specifications.

Skin Protection: Not required for product (JAC unit dose swab) use. When handling bulk material, use nitrile, neoprene or natural rubber gloves for most effective skin protection.

------IX. HAZARDOUS REACTIVITY

Stable at room temperature. Hazardous polymerization will not occur. However, carbon monoxide gas and unidentified organic compounds may be formed during combustion.

Conditions To Avoid: Sunlight, heat (heating above ambient temperatures causes the vapor pressure of the material to increase). Avoid contact with strong oxidizing agents.

Do not store or handle in aluminum equipment at temperatures above 120 degrees F.

-X SPILL, LEAK AND DISPOSAL PROCEDURES ---

For large spills, stop leak if you can do so without risk. Extinguish all sources of ignition. Wear self-contained breathing apparatus, chemical safety goggles and full protective clothing. Ventilate area. Spilled liquids should be contained and not washed into sewers or ground water. Contain by diking with non-combustible absorbent materials and place residue in DOT approved waste container.

Comply with all applicable local, state and federal regulations on spill reporting, handling and disposal of waste.

Other Precautions: Containers, even those that have been emptied, will retain product residue and vapors. Handle empty containers as if they were full.

Prepared By: David Robinson

Title: Vice President

Date of Initial Preparation: June 1989 Latest Revision Date: September 10, 2004

NOTE: This Material Safety Data Sheet is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, the safe handling of chemical materials.

James Alexander Corporation (JAC), expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose with respect to the product or information provided herein.

James Alexander Corporation 845 Route 94 Blairstown, NJ 07825

Product Name: MEDICAINE® STING AND BITE RELIEF

MSDS Effective Date: September 10, 2004

Page 3 of 5

CHEMTREC 24 Hour Emergency Phone: (800) 424-9300 Note: The CHEMTREC emergency number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to JAC at (908) 362-9266.

-----VI. EMERGENCY AND FIRST AID PROCEDURES -----

<u>For Inhalation</u>: Remove subject immediately to fresh air. Give artificial respiration if victim is not breathing. If breathing is difficult, give oxygen. Get immediate medical attention.

<u>For Eve Contact:</u> Immediately flush eyes with copious amounts of water for at least 15 minutes. Eyelids should be held apart and away from eyeball for thorough rinsing. Do not permit victim to rub eyes. Get immediate medical attention.

<u>For Skin Contact:</u> Immediately flush skin with copious amounts of water for at least 15 minutes while removing contaminated clothing and shoes. Obtain medical attention if irritation persists after washing. Wash clothing before re-use.

For Ingestion: Contact a Poison Control Center immediately. Give no more than 2 glasses of water and induce vomiting by giving 30 cc (2 tablespoons) of syrup of ipecac. If vietim is a child, give no more than 1 glass of water and 15cc (1 tablespoon) syrup of ipecac. If syrup of ipecac is unavailable, give 2 glasses of water and induce vomiting by touching finger to back of victim's throat. Do not give anything by mouth to an unconscious or convulsing person. Get immediate medical attention.

VII. TOXICITY DATA

None of the components present in this formulation are currently classified as carcinogens in the NTP Annual Report on Carcinogens, IARC Monographs or by OSHA.

-----<u>VIII. PERSONAL PROTECTION</u>

Storage Requirements: Protect containers from physical damage. Detached or outside storage is preferred. Inside storage should be in an NFPA approved flammable liquids storage room or cabinet. Store at temperatures below 77 degrees F (25°C). Do not store in direct sunlight. Isolate from incompatible materials. Keep-containers tightly closed.

Handling Requirements: All ignition sources should be eliminated. Remove closure carefully; internal pressure may be present. Keep closure up to prevent leakage. When contents are being transferred, metallic containers must be bonded to the receiving container and grounded to avoid static discharges. Never use pressure to empty containers. Replace closure carefully after each opening.

<u>Ventilation:</u> Not required for product (JAC unit dose swab) use. When handling bulk material, use general or local exhaust ventilation to meet TLV requirements. Where engineering controls are not feasible or sufficient to achieve full conformance with acceptable exposure limits, use a NIOSH approved respirator designed for organic vapors.

James Alexander Corporation 845 Route 94 Blairstown, NJ 07825

Product Name: MEDICAINE® STING AND BITE RELIEF

MSDS Effective Date: September 10, 2004

Page 2 of 5

CHEMTREC 24 Hour Emergency Phone: (800) 424-9300 Note: The CHEMTREC emergency number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to JAC at (908) 362-9266.

Flammable limits in air % by volume: Lower (Unknown) Upper(Unknown)

Extinguishing media: "Alcohol resistant" foam, CO2 or dry chemical.

Special fire fighting procedures:

NOTE: Individuals should perform only those fire-fighting procedures for which they have been trained.

Remove all sources of ignition. Move exposed containers from fire area if it can be done without risk. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece operated in positive pressure mode. Spray extinguishing media directly into base of flames. Water may be used to keep fire-exposed containers cool.

Unusual fire and explosion hazard: When heated, mixture will give off carbon monoxide and unidentified organic compounds. Closed containers exposed to heat may develop pressure and explode.

-V. HEALTH HAZARD INFORMATION

Primary routes of exposure: Inhalation, eye contact, skin contact, ingestion.

Signs and symptoms of overexposure:

<u>Inhalation</u>: May cause mild irritation to the nose, throat, and respiratory tract and may result in depression of the central nervous system.

Eve contact: Moderately irritating to the eyes.

Skin contact: Mildly irritating to the skin.

Ingestion: Irritating to the gastrointestinal tract. May eause abdominal pain and vomiting (sometimes bloody). Ingestion may cause central nervous system depression, low blood pressure, rapid heart beat and liver damage.

Early to moderate central nervous system depression may be evidenced by giddiness, headache, dizziness and nausea. In extreme cases, unconsciousness, respiratory depression and death may occur. Liver damage may be evidenced by loss of appetite, jaundice (yellowish skin color) and sometimes pain in the upper abdomen on the right side.

Medical Conditions Aggravated by Exposure: Individuals with pre-existing skin disorders, eye problems, or impaired respiratory function may be more susceptible to the effects of overexposure.

James Alexander Corporation 845 Route 94 Blairstown, NJ 07825

Product Name: MEDICAINE® STING AND BITE RELIEF

MSDS Effective Date: September 10, 2004

Page 1 of 5

CHEMTREC 24 Hour Emergency Phone: (800) 424-9300 Note: The CHEMTREC emergency number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to JAC at (908) 362-9266.

----I. PRODUCT IDENTIFICATION --

Manufacturer's Name: James Alexander Corporation

Phone: (908)362-9266

Emergency Telephone No.: (800)424-9300 (CHÉMTREC)

Address: 845 Route 94 Blairstown, NJ 07825

Product Name: MEDICAINE® STING AND BITE RELIEF.

Synonyms: N/A

D.O.T. Shipping Name: Consumer Commodity- ORM-D for ground shipments

Flammable Liquid NOS, 3, UN1993, PGII (contains isopropanol) for

air shipments only

NFPA Ratings: Health - 2 Flammability - 3 Instability - 0

-II. HAZARDOUS INGREDIENTS

Component		%	OSHA PEL/TWA	TLV/TWA TLV/STEL
Isopropyl Al	cohol 67-63-0	29%	400 ppm	400 ppm 500 ppm
Menthol	2216-51-5	1%	N/A	N/A

--III. PHYSICAL DATA

Boiling Point: N/A for mixtures Melting Point: Unknown

Specific Gravity: 1.029 25/25 Vapor Pressure: Unknown

Vapor Density: /Unknown Solubility in water: Very soluble

% volatiles by vol.: 29% Evaporation Rate (Butyl acetate=1): Unknown

Appearance and odor: Clear, dark green liquid. Odor of isopropyl alcohol, residual odor of menthol.

pH: Unknown

----IV FIRE & EXPLOSION INFORMATION

Flash Point: 62 degrees F Test Method: Pensky Martens Closed Cup

Autoignition temp: Isopropyl Alcohol: 852 degrees F (456°C)



DRUG FACTS **PAC-KIT ASPIRIN TABLETS**

Pac-Kit Safety Equipment Co. 57 Chestnut St. S. Norwalk, CT, USA 06854

Applies to: Unit dose packets of two tablets each, packaged in the following box counts: Stock #20-112, 12/box; Stock #20-155, 50/box; Stock #20-150, 100/box; Stock #20-125,

250/box; Stock #20-199, 500/box Specification last updated: 8/29/05

Active Ingredients (in each tablet).....Purpose

Uses

For the temporary relief of pain from: • Headaches • Fever • Minor Pain

Warnings

ALLERGY ALERT: Aspirin sensitive patients, do not take this product if you have had a severe allergic reaction to Aspirin (e.g., asthma, swelling, shock or hives) or if you have stomach problems (such as heartburn, upset stomach or stomach pain) that persist or recur, or if you have gastric ulcers or bleeding

REYE SYNDROME: Children and teenagers should not use this medicine for chicken pox or flu symptoms before a physician is consulted about Reye Syndrome, a rare but serious illness reported to be associated with Aspirin.

ALCOHOL WARNING: If you consume 3 or more alcoholic drinks every day, ask your doctor. whether you should take Aspirin or other pain relievers/fever reducers. Aspirin may cause stomach

DO NOT USE UNLESS DIRECTED BY YOUR PHYSICIAN IF:

- · You are currently under a doctor's care or are taking prescription drugs
- · You have previously had reactions to this or any other non-prescription pain reliever

WHEN USING THIS PRODUCT:

· Do note exceed recommended dosage unless under the advice of your physician, use the smallest effective dose. Do not use if the expiration date has passed.

STOP USING AND ASK A DOCTOR IF:

- · Pain persists for more than 10 days for adults or 5 days for children
- · Fever persists for more than three days
- · Redness is present
- · Ringing in the ears or hearing loss occurs
- An allergic reaction occurs
- · Conditions worsen, or clear up and then recur

Keep this and all drug products out of the reach of children. In case of an accidental overdose, contact a physician or poison control center immediately. Prompt medical attention is critical for children as well as adults, even if you do not see any signs or symptoms. If you are pregnant or nursing a baby, as with any drug, contact a health professional before using this product. it is especially important not to use Aspirin during the last three months of pregnancy as it may cause problems with the unborn child or complications during delivery.

Directions:

Tamper evident packaging, do not use if the packet is opened or torn. Adults: 1 to 2 tablets every 4 hours as needed, do

....: not exceed 12 tablets in 24 hours

Other information: Store at room temperature

Inactive Ingredients: May contain Cellulose, Croscarmellous Sodium, Hydroxypropyl

MATERIAL SAFETY DATA SHEET (Page 1 of 4)

This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1: IDENTIFICATION

PRODUCT NAME:

SUN X - SPF 30+ SUNSCREEN LOTION / SPRAY

Manufacturer's Name:

Coretex Products, Inc. Chemical Family: Proprietary Mix

Address:

1850 Sunnyside Court CAS#:

City, State, Zip:

Bakersfield, CA 93308

Business Telephone:

(661) 833-1572

Emergency Telephone:

(800) 255-3924 - 24 HOURS

SECTION 2: PHYSICAL DATA

Specific Gravity 25/25:

0.981

Boiling Point

101 Deg C.

Vapor Pressure: Odor:

N/A

Physical State

Lotion/Cream

Fatty

Vapor Density (Air + 1): > 1

Solubility in Water:

Partially Soluble

SECTION 3: FIRE AND EXPLOSION HAZARD DATA

Flash Point (Closed Cup F): 380 Deg F

Extinguishing Media: [X] Water; [] CO2; [] Dry Chemical; [] Foam; [] Water Fog

Special Fire Fighting Procedures: None

NFPA FLAMMABILITY CODE:

SECTION 4: REACTIVITY DATE:

Stability:

Presents no significant reactivity hazard, not pyrophoric nor

reactive with water.

Incompatibility:

(Material to avoid): Avoid strong oxidizers

Hazardous Combustion or Decomposition Products:

Burning liberates CO, CO2 and smoke. Does not form explosive

mixtures with organic materials, does not undergo explosive decomposition and is shock stable. It is not an oxygen donor.

Hazardous Polymerization:

Will not undergo spontaneous exothermic polymerization.

NFPA REACTIVITY CODE:

MATERIAL SAFETY DATA SHEET (Page 4 of 4)

PRODUCT NAME:

SUN X - SPF 30+ SUNSCREEN LOTION / SPRAY

SECTION 9: HEALTH HAZARDS CONTINUED...

The following effects were concluded as a result of human testing and observation of one or more of the individual components.

LIQUID MAY BE MILDLY IRRITATING TO EYES.

BOILING VAPOR MAY BE MILDLY IRRITATING TO THE SKIN AND EYES.

BOILING VAPOR IS MILDLY IRRITATING TO THE THROAT AND LUNGS.

BREATHING HIGH CONCENTRATION OF BOILING VAPOR MAY CAUSE ANESTHETIC EFFECTS.

WILL NOT CAUSE DERMATITIS AFTER LONG TERM SKIN CONTACT IN SUNLIGHT.

REPEATED LONG TERM IMMERSION MAY CAUSE ALLERGIC DERMATITIS IN SENSITIVE INDIVIDUALS.

MATERIAL SAFETY DATA SHEET (Page 3 of 4)

PRODUCT NAME:

SUN X - SPF 30+ SUNSCREEN LOTION / SPRAY

SECTION 9: HEALTH HAZARDS

The identity of the individual components of this mixture is proprietary information and is regarded to be a TRADE SECRET.

In accordance with 29 CFR 1910.1200 we have to assume that the mixture presents the same health hazards as the individual components when they are present at greater then 10% concentration.

Listed below are the health hazards for all of the materials present of 10% concentration and that undiluted have health hazards associated with them. Please note that not all the components of the mixture have health hazards associated with them. In the event of a medical emergency the identity of all the components will be divulged to a qualified health professional.

The following effects we concluded as a result of laboratory testing on one or more of the individual components. The relevancy to the mixture or to humans is unknown. Excessive exposure may cause similar effects.

REPEATED DAILY DOSES ORALLY CAUSED MINIMAL DAMAGE TO THE NERVOUS SYSTEM.

REPEATED DAILY ORAL DOSING OF LARGE AMOUNTS CAUSED LIVER DAMAGE.

REPEATED DAILY ORAL DOSING OF LARGE AMOUNTS CAUSE KIDNEY DAMAGE.

REPEATED ORAL DOSING INCREASED OCULAR TENSION.

REPEATED DAILY APPLICATION TO SKIN CAUSED NO REPRODUCTIVE EFFECTS.

MATERIAL SAFETY DATA SHEET (Page 2 of 4)

PRODUCT NAME:

SUN X - SPF 30+ SUNSCREEN LOTION / SPRAY

SECTION 5: SPILL OR LEAKAGE PRODEDURES

Cleanup or spills or accidental release of material:

Flush with water of soak with suitable absorbent.

Waste Disposal Methods:

Incineration or sanitary landfill in accordance with local state and federal regulations and consistent with good ecological practices.

SECTION 6: SPECIAL PROTECTION INFORMATION

Respiratory:

Use NIOSH/OSHA Approved Respirator if TLV is exceeded

Ventilation:

General Mechanical

Protective Gloves:

Volatile Resistant if skin contact is anticipated

Eye Protection:

Splash proof goggles if handling methods warrant them

Other Protective Equipment:

SECTION 7: EMERGENCY AND FIRST AID PROCEDURES

Eye (contact):

In the event of accidental contact with eyes, irrigate copious

amounts of water; if irritation persists obtain medical advice.

Skin (contact):

If completely immersed, remove contaminated clothing. If desired

flush exposed areas with copious amounts of mild soap and water.

Product is NON-IRRITATING to skin.

Ingestion:

In the event of accidental ingestion rinse the mouth with water.

Give up to one tumbler (half pint) of milk or water. Obtain medical

advice immediately.

SECTION 8:

EXPOSURE DATA

Primary route of exposure:

Skin Contact & Possible Inhalation. The approximated

vapor pressure of the mixture is sufficiently high enough to

be a significant route of exposure.

OSHA PEL:

Not Determined

ACGIH TLV:

Not Determined.

Material is not found on any known list of carcinogen such as NTP, IARC or by OSHA nor does it contain any carcinogens found in these lists.